DISCARD WHEN
OXIGINAL CONTESS FILE

Hovember 6, 1575

theater that the allpopt - (the neather valley history)

LANGE TREATMENT

Mull Sent

hr raul r Tully, Unitron
kanlaken Valley Airport Authority
Greater rankaren Airport
n i #1, Loy 16)
kanlaken, Illinois Gujul

Door Hr Tully

The Illinois invironmental Protection A ency conducted an inspection of the wasternter treatment f-cilities erving the Vankakee Valley Airport on Jetoper 30, 1375, and found the following apparent violations

- The vaste treatment plant was not operating satisfactorily. The contents of the acration and clarifier zones were click and appeared septic. A similar situation was noted during an inspection of September 10, 11/5, during which you were pre-ent and made aware of the poor operational state of the facility.
- 2 Page 5 of https://rilt.flt003_1 3, Attachment A, presents your responsibilities with regard to operation and quality control of the subject facility

All wasts collection, control treatment and disposal facilities shall be operated in a nanner consistent with the following

- (1) At all tires, all facilities shall be operated as officiently as possible and in a number wild will minimize upsets and discharges of excessive pollutants
- (b) The permitted shall provide an adequate operating staff which is duly qualified to carry out the operation, maintenance and testing functions required to insure compliance with the conditions of this permit

EPA Region 5 Records Ctr 343718

--

- (c) Maintenance of treatment facilities that results in degradation of effluent quality shall be scheduled during non-critical water quality periods and shall be carried out in a manner approved by the permitting authority
- (d) The permittee must provide optimum operation and maintenance of the existing waste treatment facility to produce as high quality of effluent as reasonably possible
- 3 Also, we include for your information items 9 and 10 of Attachment B from your permit indicating your responsibilities "should any unusual or extra ordinary discharges or wastes occur from the facilities herein permitted"
 - If for any reason the permittee does not comply with or will be unable to compry with any effluent limitation specified in this permit, or should any unusual or extraordinary discharge or wastes occur from the facilities herein permitted, the permittee shall provide the permit issuing authority with the following information in writing within five days of becoming aware of the condition
 - A description of the non-complying discharge including its impact upon the receiving waters
 - 2 Cruse of non-compliance
 - 3 Anticipated time the condition on non-compliance is expected to continue, or if such condition has been corrected, the duration of the period of non-compliance
 - 4 Steps taken by the permittee to reduce and aliminate the non-complying discharge
 - 5 Steps to be taken by the permittee to prevent recurrence of the condition of non-compliance
 - Permittee shall take all reasonable steps to minimize any adverse impact to navigable waters resulting from non-compliance with any effluent limitation specified in this permit. The permittee will also provide accelerated or additional monitoring is necessary to determine the nature and impact of the non-complying discharge.

This information is provided to allow you the opportunity to verify or dispute the Agency's findings — I am available to discuss these apparent

CHACE 3
GHEATER MARKALET ATRPORT - SEWAGE 1 EATHERT HOVERDER 0, 1975

violations, and a program to correct such violations, at your convenience I await your reply

Very truly yours,

ILLINOIS ENVIRGINE ITAL PROTECTION AGENCY

beni J. Letand, hanager, Region II Field Operations Section, DVPC

THO rm!

CC - Records unit, FOS/WYPC

- Enforcements Section DWPL
- Compliance Section, USEPA
- J Pritchelt, operator
- PS Please forward a copy of your icply to

United States Environmental Protection Agency Compliance Section, Region V 230 South Learborn Street Chicago, Illinois 60664